

LA8SCR40K	8F Zuma technology Shepherd's Crook Curve, 55cm, 0,090" ID, tipmarker	1	81,41	16,28	97,70	10%
LA8MP1K	8F Zuma technology Multipurpose Curve, 55cm, 0,090" ID, tipmarker	1	81,41	16,28	97,70	10%
LA8CHAMP15K	8F Launcher CHAMP curve 1,5cm, 55cm, 0,090" ID, tipmarker	1	81,41	16,28	97,70	10%
LA8CHAMP20K	8F Launcher CHAMP curve 2,0cm, 55cm, 0,090" ID, tipmarker	1	81,41	16,28	97,70	10%
LA8CHAMP25K	8F Launcher CHAMP curve 2,5cm, 55cm, 0,090" ID, tipmarker	1	81,41	16,28	97,70	10%
	VODICE PCI					
SUKL KOD : P 72291	COUGAR LIGHT					
CGRLS190HS	0.014" nitinol core light support wire, 190cm, 3cm straight stainless steel/platinu	5	117,94	23,59	141,52	0%
CGRLS190HJ	0.014" nitinol core light support wire, 190cm, 3cm J shape stainless steel/platinu	5	117,94	23,59	141,52	0%
CGRLS300HS	0.014" nitinol core light support wire, 300cm, 3cm straight stainless steel/platinu	5	124,38	24,88	149,26	0%
CGRLS300HJ	0.014" nitinol core light support wire, 300cm, 3cm J shape stainless steel/platinu	5	124,38	24,88	149,26	0%
CGRLS190S	0.014" nitinol core light support wire, 190cm, 3cm straight stainless steel/platinu	5	117,94	23,59	141,52	0%
CGRLS190J	0.014" nitinol core light support wire, 190cm, 3cm J shape stainless steel/platinu	5	117,94	23,59	141,52	0%
CGRLS300S	0.014" nitinol core light support wire, 300cm, 3cm straight stainless steel/platinu	5	124,38	24,88	149,26	0%
CGRLS300J	0.014" nitinol core light support wire, 300cm, 3cm J shape stainless steel/platinu	5	124,38	24,88	149,26	0%
	COUGAR MEDIUM					
CGRXT190HS	0.014" nitinol core medium support wire, 190cm, 3cm straight stainless steel/pla	5	117,94	23,59	141,52	0%
CGRXT190HJ	0.014" nitinol core medium support wire, 190cm, 3cm J shape stainless steel/pla	5	117,94	23,59	141,52	0%
CGRXT300HS	0.014" nitinol core medium support wire, 300cm, 3cm straight stainless steel/pla	5	124,38	24,88	149,26	0%
CGRXT300HJ	0.014" nitinol core medium support wire, 300cm, 3cm J shape stainless steel/pla	5	124,38	24,88	149,26	0%
CGRXT190S	0.014" nitinol core medium support wire, 190cm, 3cm straight stainless steel/pla	5	117,94	23,59	141,52	0%
CGRXT190J	0.014" nitinol core medium support wire, 190cm, 3cm J shape stainless steel/pla	5	117,94	23,59	141,52	0%
CGRXT300S	0.014" nitinol core medium support wire, 300cm, 3cm straight stainless steel/pla	5	124,38	24,88	149,26	0%
CGRXT300J	0.014" nitinol core medium support wire, 300cm, 3cm J shape stainless steel/pla	5	124,38	24,88	149,26	0%
SUKL KOD : P 72292	ZINGER LIGHT					
ZNGRLS180HS	0.014" stainless steel core light support wire, 180cm, 2cm straight stainless stee	5	117,94	23,59	141,52	0%
ZNGRLS180HJ	0.014" stainless steel core light support wire, 180cm, 2cm J shape stainless stee	5	117,94	23,59	141,52	0%
ZNGRLS300HS	0.014" stainless steel core light support wire, 300cm, 2cm straight stainless stee	5	124,38	24,88	149,26	0%
ZNGRLS300HJ	0.014" stainless steel core light support wire, 300cm, 2cm J shape stainless stee	5	124,38	24,88	149,26	0%
	ZINGER MARKER					
ZNCRMK180HS	0.014" stainless steel core marker wire, 180cm, 2cm straight stainless steel/plati	5	117,94	23,59	141,52	0%
ZNCRMK180HJ	0.014" stainless steel core marker wire, 180cm, 2cm J shape stainless steel/plati	5	117,94	23,59	141,52	0%
ZNCRMK300HS	0.014" stainless steel core marker wire, 300cm, 2cm straight stainless steel/plati	5	124,38	24,88	149,26	0%
ZNCRMK300HJ	0.014" stainless steel core marker wire, 300cm, 2cm J shape stainless steel/plati	5	124,38	24,88	149,26	0%
	ZINGER MEDIUM					
ZNGRMS180HS	0.014" stainless steel core medium support wire, 180cm, 2cm straight stainless s	5	117,94	23,59	141,52	0%
ZNGRMS180HJ	0.014" stainless steel core medium support wire, 180cm, 2cm J shape stainless	5	117,94	23,59	141,52	0%
ZNGRMS300HS	0.014" stainless steel core medium support wire, 300cm, 2cm straight stainless s	5	124,38	24,88	149,26	0%
ZNGRMS300HJ	0.014" stainless steel core medium support wire, 300cm, 2cm J shape stainless	5	124,38	24,88	149,26	0%
	ZINGER SUPPORT					
ZNGRS180HS	0.014" stainless steel core support wire, 180cm, 2cm straight stainless steel/plat	5	117,94	23,59	141,52	0%
ZNGRS180HJ	0.014" stainless steel core support wire, 180cm, 2cm J shape stainless steel/plat	5	117,94	23,59	141,52	0%
ZNGRS300HS	0.014" stainless steel core support wire, 300cm, 2cm straight stainless steel/plat	5	124,38	24,88	149,26	0%
ZNGRS300HJ	0.014" stainless steel core support wire, 300cm, 2cm J shape stainless steel/plat	5	124,38	24,88	149,26	0%
SUKL KOD : P 52661	PERSUADER 3 (for Chronic total occlusions; CTO)					
3PSDR180HS	0,014" stainless steel core to tip guidewire, 180cm, 3cm radiopaque tip, HydroTr	5	117,94	23,59	141,52	0%
3PSDR180S	0,014" stainless steel core to tip guidewire, 180cm, 3cm radiopaque tip, ProPel s	5	117,94	23,59	141,52	0%
3PSDR300HS	0,014" stainless steel core to tip guidewire, 300cm, 3cm radiopaque tip, HydroTr	5	124,38	24,88	149,26	0%
3PSDR300S	0,014" stainless steel core to tip guidewire, 300cm, 3cm radiopaque tip, ProPel s	5	124,38	24,88	149,26	0%
	PERSUADER 6 (for Chronic total occlusions; CTO)					
6PSDR180HS	0,014" stainless steel core to tip guidewire, 180cm, 3cm radiopaque tip, HydroTr	5	117,94	23,59	141,52	0%
6PSDR180S	0,014" stainless steel core to tip guidewire, 180cm, 3cm radiopaque tip, ProPel s	5	117,94	23,59	141,52	0%
6PSDR300HS	0,014" stainless steel core to tip guidewire, 300cm, 3cm radiopaque tip, HydroTr	5	124,38	24,88	149,26	0%
6PSDR300S	0,014" stainless steel core to tip guidewire, 300cm, 3cm radiopaque tip, ProPel s	5	124,38	24,88	149,26	0%
	PERSUADER 9 (for Chronic total occlusions; CTO)					
9PSDR180HS	0,014" stainless steel core to tip guidewire, 180cm, 3cm radiopaque tip, HydroTr	5	117,94	23,59	141,52	0%
9PSDR180S	0,014" stainless steel core to tip guidewire, 180cm, 3cm radiopaque tip, ProPel s	5	117,94	23,59	141,52	0%
9PSDR300HS	0,014" stainless steel core to tip guidewire, 300cm, 3cm radiopaque tip, HydroTr	5	124,38	24,88	149,26	0%
9PSDR300S	0,014" stainless steel core to tip guidewire, 300cm, 3cm radiopaque tip, ProPel s	5	124,38	24,88	149,26	0%
SUKL KOD : P 52660	THUNDER					
THNDR190S	0,014" stainless steel core-to-tip guidewire, 190cm, 3cm radiopaque straight tip,	5	117,94	23,59	141,52	0%
THNDR190J	0,014" stainless steel core-to-tip guidewire, 190cm, 3cm radiopaque J - tip, for m	5	117,94	23,59	141,52	0%
THNDR300S	0,014" stainless steel core-to-tip guidewire, 300cm, 3cm radiopaque straight tip,	5	124,38	24,88	149,26	0%
THNDR300J	0,014" stainless steel core-to-tip guidewire, 300cm, 3cm radiopaque J - tip, for m	5	124,38	24,88	149,26	0%
SUKL KOD : P 64936	PRISLUSENSTVO K PTCA					
AC2200	Everest inflation device 20 cc, 20 atm	1	64,63	12,93	77,56	0%
AC3200	Everest inflation device 20 cc, 30 atm	1	64,63	12,93	77,56	0%
AC2205P	Everest Survival kit 20 atm, Piton Y-adaptor, steering handle	1	113,08	22,62	135,70	0%
AC3205P	Everest Survival kit 30 atm, Piton Y-adaptor, steering handle	1	113,08	22,62	135,70	0%
	BALONKOVE KATETRE					
SUKL KOD : P 74147	NC SPRINTER (Low compliant balloon, high pressures)					
NCSP2006X	NC Sprinter Monorail Low-compliant balloon 2.0mm, 6mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP2009X	NC Sprinter Monorail Low-compliant balloon 2.0mm, 9mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP2012X	NC Sprinter Monorail Low-compliant balloon 2.0mm, 12mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP2015X	NC Sprinter Monorail Low-compliant balloon 2.0mm, 15mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP2021X	NC Sprinter Monorail Low-compliant balloon 2.0mm, 21mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP22506X	NC Sprinter Monorail Low-compliant balloon 2.25mm, 6mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP22512X	NC Sprinter Monorail Low-compliant balloon 2.25mm, 12mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP22521X	NC Sprinter Monorail Low-compliant balloon 2.25mm, 21mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP2506X	NC Sprinter Monorail Low-compliant balloon 2.5mm, 6mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%
NCSP2509X	NC Sprinter Monorail Low-compliant balloon 2.5mm, 9mm long, Nom.P=10 Atm	1	407,10	81,42	488,52	10%

OPT620S	Optimus 6x20 short	1	368,56	73,71	442,28	0%
OPT630S	Optimus 6x30 short	1	368,56	73,71	442,28	0%
OPT640S	Optimus 6x40 short	1	368,56	73,71	442,28	0%
OPT660S	Optimus 6x60 short	1	368,56	73,71	442,28	0%
OPT680S	Optimus 6x80 short	1	368,56	73,71	442,28	0%
OPT720S	Optimus 7x20 short	1	368,56	73,71	442,28	0%
OPT730S	Optimus 7x30 short	1	368,56	73,71	442,28	0%
OPT740S	Optimus 7x40 short	1	368,56	73,71	442,28	0%
OPT760S	Optimus 7x60 short	1	368,56	73,71	442,28	0%
OPT780S	Optimus 7x80 short	1	368,56	73,71	442,28	0%
OPT820S	Optimus 8x20 short	1	368,56	73,71	442,28	0%
OPT830S	Optimus 8x30 short	1	368,56	73,71	442,28	0%
OPT840S	Optimus 8x40 short	1	368,56	73,71	442,28	0%
OPT860S	Optimus 8x60 short	1	368,56	73,71	442,28	0%
OPT880S	Optimus 8x80 short	1	368,56	73,71	442,28	0%
OPT920S	Optimus 9x20 short	1	368,56	73,71	442,28	0%
OPT930S	Optimus 9x30 short	1	368,56	73,71	442,28	0%
OPT940S	Optimus 9x40 short	1	368,56	73,71	442,28	0%
OPT960S	Optimus 9x60 short	1	368,56	73,71	442,28	0%
OPT980S	Optimus 9x80 short	1	368,56	73,71	442,28	0%
OPT1020S	Optimus 10x20 short	1	368,56	73,71	442,28	0%
OPT1030S	Optimus 10x30 short	1	368,56	73,71	442,28	0%
OPT1040S	Optimus 10x40 short	1	368,56	73,71	442,28	0%
OPT1060S	Optimus 10x60 short	1	368,56	73,71	442,28	0%
OPT1080S	Optimus 10x80 short	1	368,56	73,71	442,28	0%
OPT5100S	Optimus 51x00 short	1	368,56	73,71	442,28	0%
OPT5120S	Optimus 51x20 short	1	368,56	73,71	442,28	0%
OPT5150S	Optimus 51x50 short	1	368,56	73,71	442,28	0%
OPT6100S	Optimus 61x00 short	1	368,56	73,71	442,28	0%
OPT6120S	Optimus 61x20 short	1	368,56	73,71	442,28	0%
OPT6150S	Optimus 61x50 short	1	368,56	73,71	442,28	0%
OPT7100S	Optimus 71x00 short	1	368,56	73,71	442,28	0%
OPT7120S	Optimus 71x20 short	1	368,56	73,71	442,28	0%
OPT7150S	Optimus 71x50 short	1	368,56	73,71	442,28	0%
OPT8100S	Optimus 81x00 short	1	368,56	73,71	442,28	0%
OPT8120S	Optimus 81x20 short	1	368,56	73,71	442,28	0%
OPT8150S	Optimus 81x50 short	1	368,56	73,71	442,28	0%
OPT520L	Optimus 5x20 long	1	368,56	73,71	442,28	0%
OPT530L	Optimus 5x30 long	1	368,56	73,71	442,28	0%
OPT540L	Optimus 5x40 long	1	368,56	73,71	442,28	0%
OPT560L	Optimus 5x60 long	1	368,56	73,71	442,28	0%
OPT580L	Optimus 5x80 long	1	368,56	73,71	442,28	0%
OPT620L	Optimus 6x20 long	1	368,56	73,71	442,28	0%
OPT630L	Optimus 6x30 long	1	368,56	73,71	442,28	0%
OPT640L	Optimus 6x40 long	1	368,56	73,71	442,28	0%
OPT660L	Optimus 6x60 long	1	368,56	73,71	442,28	0%
OPT680L	Optimus 6x80 long	1	368,56	73,71	442,28	0%
OPT720L	Optimus 7x20 long	1	368,56	73,71	442,28	0%
OPT730L	Optimus 7x30 long	1	368,56	73,71	442,28	0%
OPT740L	Optimus 7x40 long	1	368,56	73,71	442,28	0%
OPT760L	Optimus 7x60 long	1	368,56	73,71	442,28	0%
OPT780L	Optimus 7x80 long	1	368,56	73,71	442,28	0%
OPT820L	Optimus 8x20 long	1	368,56	73,71	442,28	0%
OPT830L	Optimus 8x30 long	1	368,56	73,71	442,28	0%
OPT840L	Optimus 8x40 long	1	368,56	73,71	442,28	0%
OPT860L	Optimus 8x60 long	1	368,56	73,71	442,28	0%
OPT880L	Optimus 8x80 long	1	368,56	73,71	442,28	0%
OPT920L	Optimus 9x20 long	1	368,56	73,71	442,28	0%
OPT930L	Optimus 9x30 long	1	368,56	73,71	442,28	0%
OPT940L	Optimus 9x40 long	1	368,56	73,71	442,28	0%
OPT960L	Optimus 9x60 long	1	368,56	73,71	442,28	0%
OPT1020L	Optimus 10x20 long	1	368,56	73,71	442,28	0%
OPT1030L	Optimus 10x30 long	1	368,56	73,71	442,28	0%
OPT1040L	Optimus 10x40 long	1	368,56	73,71	442,28	0%
OPT1060L	Optimus 10x60 long	1	368,56	73,71	442,28	0%
OPT5100L	Optimus 51x00 long	1	368,56	73,71	442,28	0%
OPT5120L	Optimus 51x20 long	1	368,56	73,71	442,28	0%
OPT5150L	Optimus 51x50 long	1	368,56	73,71	442,28	0%
OPT6100L	Optimus 61x00 long	1	368,56	73,71	442,28	0%
OPT6120L	Optimus 61x20 long	1	368,56	73,71	442,28	0%
OPT6150L	Optimus 61x50 long	1	368,56	73,71	442,28	0%
OPT7100L	Optimus 71x00 long	1	368,56	73,71	442,28	0%
OPT7120L	Optimus 71x20 long	1	368,56	73,71	442,28	0%
OPT7150L	Optimus 71x50 long	1	368,56	73,71	442,28	0%
OPT8100L	Optimus 81x00 long	1	368,56	73,71	442,28	0%
OPT8120L	Optimus 81x20 long	1	368,56	73,71	442,28	0%
OPT8150L	Optimus 81x50 long	1	368,56	73,71	442,28	0%
SUKL KOD : P 72361 ASPIRACNE KATETRE						
G1452006B	6F Export Aspiration catheter	1 set	352,90	70,58	423,48	10%
	Two 20-cc locking syringes					
	Two 40-µ filter baskets					
	One extension line with stopcock					
GEZ62007B	7F Export Aspiration catheter	1 set	352,90	70,58	423,48	10%
	Two 20-cc locking syringes					
	Two 40-µ filter baskets					
	One extension line with stopcock					
EXPORTXTCE	6F Export XT Aspiration catheter	1 set	352,90	70,58	423,48	10%
	Two 30-cc locking syringes					
	Two 40-µ filter baskets					

	One extension line with stopcock					
EXPORTAPCE	6F Export AP Aspiration catheter	1 set	352,90	70,58	423,48	10%
	Two 30-cc locking syringes					
	ONE 40-µ filter basket					
	One extension line with stopcock					
SUKL KOD : P80361	EMBOLPROTEKCNE PRODUKTY					
MVP44	CloSur P.A.D. (Nonwoven Hydrophillic Wound Dressing)	10	94,11	18,82	112,94	0%
SUKL KOD : 72361	OKLUZIVNE EMBOLPROTEKCNE PRODUKTY					
	Distal Protection					
GEZ52006	Guardwire system (for coronary use) with "0.028" profile: consists of	1 set	1 411,58	282,32	1 693,89	0%
	Guardwire Plus (2-5mm occlusive balloon on wire) , 200 cm long					
	EZ Adaptor					
	EZ Flator					
	RX Export Aspiration catheter 6F					
	Two 40-µ filter basket					
GEZ53006	Guardwire system (for coronary use) with "0.028" profile: consists of	1 set	1 411,58	282,32	1 693,89	0%
	Guardwire Plus (2-5mm occlusive balloon on wire) , 300 cm long					
	EZ Adaptor					
	EZ Flator					
	RX Export Aspiration catheter 6F					
	Two 40-µ filter basket					
GEZ62006	Guardwire System (for Coronary/Carotid use) with "0.036" profile: consists of	1 set	1 411,58	282,32	1 693,89	0%
	Guardwire Plus (3-6mm occlusive balloon on wire), 200 cm long					
	EZ Adaptor					
	EZ Flator					
	RX Export Aspiration catheter 6F					
	Two 40-µ filter basket					
GEZ63006	Guardwire System (for Coronary/Carotid use) with "0.036" profile: consists of	1 set	1 411,58	282,32	1 693,89	0%
	Guardwire Plus (3-6mm occlusive balloon on wire) , 300 cm long					
	EZ Adaptor					
	EZ Flator					
	RX Export Aspiration catheter 6F					
	Two 40-µ filter basket					
SUKL KOD : P72359	DEFENDER					
DEFS3200	Defender-coronary filter system 3,5mm	1	964,58	192,92	1 157,49	0%
DEFS4200	Defender-coronary filter system 4,5mm	1	964,58	192,92	1 157,49	0%
DEFS5200	Defender-coronary filter system 5,5mm	1	964,58	192,92	1 157,49	0%
DEFC5200	Defender-carotid filter system 5,5mm	1	964,58	192,92	1 157,49	0%
DEFC6200	Defender-carotid filter system 6,5mm	1	964,58	192,92	1 157,49	0%
Katalógové číslo	RACER	Počet kusov v balení	Cena bez DPH/kus	DPH 10%	Cena s DPH/kus	Zl'ava
SUKL KOD P 60985	RACER RENAL 0.018"/0.014" OVER THE WIRE STENT SYSTEM					
RD412YF	4x12mm, 8 Nom. P, 5F sheath req., 80cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD512YF	5x12mm, 8 Nom. P, 5F sheath req., 80cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD612YF	6x12mm, 8 Nom. P, 5F sheath req., 80cm cath length, RBP=12 atm, 0.063" cros	1	767,34	76,73	844,08	5%
RD712YF	7x12mm, 8 Nom. P, 6F sheath req., 80cm cath length, RBP=12 atm, 0.071" cros	1	767,34	76,73	844,08	5%
RD418YF	4x18mm, 8 Nom. P, 5F sheath req., 80cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD518YF	5x18mm, 8 Nom. P, 5F sheath req., 80cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD618YF	6x18mm, 8 Nom. P, 5F sheath req., 80cm cath length, RBP=12 atm, 0.063" cros	1	767,34	76,73	844,08	5%
RD718YF	7x18mm, 8 Nom. P, 6F sheath req., 80cm cath length, RBP=12 atm, 0.071" cros	1	767,34	76,73	844,08	5%
RD412YL	4x12mm, 8 Nom. P, 5F sheath req., 130cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD512YL	5x12mm, 8 Nom. P, 5F sheath req., 130cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD612YL	6x12mm, 8 Nom. P, 5F sheath req., 130cm cath length, RBP=12 atm, 0.063" cros	1	767,34	76,73	844,08	5%
RD712YL	7x12mm, 8 Nom. P, 6F sheath req., 130cm cath length, RBP=12 atm, 0.071" cros	1	767,34	76,73	844,08	5%
RD418YL	4x18mm, 8 Nom. P, 5F sheath req., 130cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD518YL	5x18mm, 8 Nom. P, 5F sheath req., 130cm cath length, RBP=12 atm, 0.058" cros	1	767,34	76,73	844,08	5%
RD618YL	6x18mm, 8 Nom. P, 5F sheath req., 130cm cath length, RBP=12 atm, 0.063" cros	1	767,34	76,73	844,08	5%
RD718YL	7x18mm, 8 Nom. P, 6F sheath req., 130cm cath length, RBP=12 atm, 0.071" cros	1	767,34	76,73	844,08	5%
	RACER RX					
RCR412XS	Racer RX renal stent, 4x12mm, 80 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR418XS	Racer RX renal stent, 4x18mm, 80 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR412XL	Racer RX renal stent, 4x12mm, 130 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR418XL	Racer RX renal stent, 4x18mm, 130 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR512XS	Racer RX renal stent, 5x12mm, 80 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR518XS	Racer RX renal stent, 5x18mm, 80 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR512XL	Racer RX renal stent, 5x12mm, 130 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR518XL	Racer RX renal stent, 5x18mm, 130 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR612XS	Racer RX renal stent, 6x12mm, 80 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR618XS	Racer RX renal stent, 6x18mm, 80 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR612XL	Racer RX renal stent, 6x12mm, 130 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR618XL	Racer RX renal stent, 6x18mm, 130 cm shaft, 5F sheath, 6F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR712XS	Racer RX renal stent, 7x12mm, 80 cm shaft, 6F sheath, 7F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR718XS	Racer RX renal stent, 7x18mm, 80 cm shaft, 6F sheath, 7F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR712XL	Racer RX renal stent, 7x12mm, 130 cm shaft, 6F sheath, 7F guide compatibility, N	1	913,15	91,31	1 004,46	5%
RCR718XL	Racer RX renal stent, 7x18mm, 130 cm shaft, 6F sheath, 7F guide compatibility, N	1	913,15	91,31	1 004,46	5%
SUKL KOD P 60985	COMPLETE SE					
SC420LG	Complete Self Exp. Nitinol Stent 4mm x 20mm; 5F Shaft, 6F Sheath compatible,	1	1 104,99	110,50	1 215,49	5%

ENLW1613C80EE	Contralateral Limb 80, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1613C95EE	Contralateral Limb 95, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1613C120EE	Contralateral Limb 120, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1616C80EE	Contralateral Limb 80, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1616C95EE	Contralateral Limb 95, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1616C120EE	Contralateral Limb 120, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1620C80EE	Contralateral Limb 80, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1620C95EE	Contralateral Limb 95, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1620C120EE	Contralateral Limb 120, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1624C80EE	Contralateral Limb 80, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1624C95EE	Contralateral Limb 95, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1624C120EE	Contralateral Limb 120, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1628C80EE	Contralateral Limb 80, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1628C95EE	Contralateral Limb 95, Endurant	1	3 911,09	391,11	4 302,20	10%
ENLW1628C120EE	Contralateral Limb 120, Endurant	1	3 911,09	391,11	4 302,20	10%
Iliac Extension						
ENEW1010C80EE	Iliac Extension80, Endurant	1	2 502,90	250,29	2 753,19	10%
ENEW1313C80EE	Iliac Extension80, Endurant	1	2 502,90	250,29	2 753,19	10%
ENEW2020C80EE	Iliac Extension80, Endurant	1	2 502,90	250,29	2 753,19	10%
ENEW2424C80EE	Iliac Extension80, Endurant	1	2 502,90	250,29	2 753,19	10%
ENEW2828C80EE	Iliac Extension80, Endurant	1	2 502,90	250,29	2 753,19	10%
Aortic Extension						
ENCF2323C45EE	Aortic Extension45, Endurant	1	2 502,90	250,29	2 753,19	10%
ENCF2525C45EE	Aortic Extension45, Endurant	1	2 502,90	250,29	2 753,19	10%
ENCF2828C45EE	Aortic Extension45, Endurant	1	2 502,90	250,29	2 753,19	10%
ENCF3232C45EE	Aortic Extension45, Endurant	1	2 502,90	250,29	2 753,19	10%
ENCF3636C45EE	Aortic Extension45, Endurant	1	2 502,90	250,29	2 753,19	10%
Abdominal Tube						
ENTF2323C70EE	Abdominal Tube70, Endurant	1	2 502,90	250,29	2 753,19	10%
ENTF2525C70EE	Abdominal Tube70, Endurant	1	2 502,90	250,29	2 753,19	10%
ENTF2828C70EE	Abdominal Tube70, Endurant	1	2 502,90	250,29	2 753,19	10%
ENTF3232C70EE	Abdominal Tube70, Endurant	1	2 502,90	250,29	2 753,19	10%
ENTF3636C70EE	Abdominal Tube70, Endurant	1	2 502,90	250,29	2 753,19	10%
Aorto-Uni-Iliac						
ENUF2314C105EE	Aorto-Uni-Iliac105, Endurant	1	4 693,55	469,36	5 162,90	10%
ENUF2514C105EE	Aorto-Uni-Iliac105, Endurant	1	4 693,55	469,36	5 162,90	10%
ENUF2814C105EE	Aorto-Uni-Iliac105, Endurant	1	4 693,55	469,36	5 162,90	10%
ENUF3214C105EE	Aorto-Uni-Iliac105, Endurant	1	4 693,55	469,36	5 162,90	10%
ENUF3614C105EE	Aorto-Uni-Iliac105, Endurant	1	4 693,55	469,36	5 162,90	10%
Talent Endoluminal Stent Graft System						
SUKL KOD : 72464 Talent Bifurcated Abdominal Aortic Stent Graft with the Xcelerant Hydro Delivery System						
AF2412C140AXH	24x12mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2412C155AXH	24x12mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2412C170AXH	24x12mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2414C140AXH	24x14mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2414C155AXH	24x14mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2414C170AXH	24x14mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2612C140AXH	26x12mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2612C155AXH	26x12mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2612C170AXH	26x12mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2614C140AXH	26x14mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2614C155AXH	26x14mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2614C170AXH	26x14mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2616C140AXH	26x16mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2616C155AXH	26x16mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2616C170AXH	26x16mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2618C140AXH	26x18mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2618C155AXH	26x18mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2618C170AXH	26x18mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2814C140AXH	28x14mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2814C155AXH	28x14mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2814C170AXH	28x14mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2816C140AXH	28x16mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2816C155AXH	28x16mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2816C170AXH	28x16mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2818C140AXH	28x18mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2818C155AXH	28x18mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2818C170AXH	28x18mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2820C140AXH	28x20mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2820C155AXH	28x20mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF2820C170AXH	28x20mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3014C140AXH	30x14mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3014C155AXH	30x14mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3014C170AXH	30x14mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3016C140AXH	30x16mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3016C155AXH	30x16mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3016C170AXH	30x16mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3018C140AXH	30x18mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3018C155AXH	30x18mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3018C170AXH	30x18mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3020C140AXH	30x20mm ipsilat, 140mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3020C155AXH	30x20mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3020C170AXH	30x20mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3214C155AXH	32x14mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3214C170AXH	32x14mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3216C155AXH	32x16mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3216C170AXH	32x16mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3218C155AXH	32x18mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3218C170AXH	32x18mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%

AF3220C155AXH	32x20mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3220C170AXH	32x20mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3416C155AXH	34x16mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3416C170AXH	34x16mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3418C155AXH	34x18mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3418C170AXH	34x18mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3420C155AXH	34x20mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3420C170AXH	34x20mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3618C155AXH	36x18mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3618C170AXH	36x18mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3620C155AXH	36x20mm ipsilat, 155mm covered length	1	6 106,46	610,65	6 717,11	10%
AF3620C170AXH	36x20mm ipsilat, 170mm covered length	1	6 106,46	610,65	6 717,11	10%
Talent Contralateral Iliac Limbs with the Xcelerant Hydro Delivery System						
IW1408C105AXH	UniDoc(14),dist 8mm,105mm cov.length,	1	3 816,88	381,69	4 198,57	10%
IW1410C105AXH	UniDoc(14),dist 10mm,105mm cov.Length	1	3 816,88	381,69	4 198,57	10%
IW1412C75AXH	UniDoc(14),dist 12mm, 75mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1412C90AXH	UniDoc(14),dist 12mm, 90mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1412C105AXH	UniDoc(14),dist 12mm, 105mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1414C75AXH	UniDoc(14),dist 14mm, 75mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1414C90AXH	UniDoc(14),dist 14mm, 90mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1414C105AXH	UniDoc(14),dist 14mm, 105mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1416C75AXH	UniDoc(14),dist 16mm, 75mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1416C90AXH	UniDoc(14),dist 16mm, 90mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1416C105AXH	UniDoc(14),dist 16mm, 105mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1418C75AXH	UniDoc(14),dist 18mm, 75mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1418C90AXH	UniDoc(14),dist 18mm, 90mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1418C105AXH	UniDoc(14),dist 18mm, 105mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1420C75AXH	UniDoc(14),dist 20mm, 75mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1420C90AXH	UniDoc(14),dist 20mm, 90mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1420C105AXH	UniDoc(14),dist 20mm, 105mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1422C75AXH	UniDoc(14),dist 22mm, 75mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1422C90AXH	UniDoc(14),dist 22mm, 90mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1422C105AXH	UniDoc(14),dist 22mm, 105mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1424C75AXH	UniDoc(14),dist 24mm, 75mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1424C90AXH	UniDoc(14),dist 24mm, 90mm cov. Length	1	3 816,88	381,69	4 198,57	10%
IW1424C105AXH	UniDoc(14),dist 24mm, 105mm cov. Length	1	3 816,88	381,69	4 198,57	10%
Talent Aortic Extensions with the Xcelerant Hydro Delivery System						
AXB2222W30AXH	prox. 22mm, dist. 22mm, 30mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
AXF2424W30AXH	prox. 24mm, dist. 24mm, 30mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
AXF2626W30AXH	prox. 26mm, dist. 26mm, 30mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
AXF2828W29AXH	prox. 28mm, dist. 28mm, 29mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
AXF3030W28AXH	prox. 30mm, dist. 30mm, 28mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
AXF3232W28AXH	prox. 32mm, dist. 32mm, 28mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
AXF3434W28AXH	prox. 34mm, dist. 34mm, 28mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
AXF3636W26AXH	prox. 36mm, dist. 36mm, 26mm cov.length, Hydro	1	2 442,03	244,20	2 686,23	10%
Talent Iliac Extensions with the Xcelerant Hydro Delivery System						
IXW0808C81AXH	prox.8mm,dist.8mm,81mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1010C81AXH	prox.10mm,dist.10mm,81mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1208C75AXH	prox.12mm,dist.8mm,75mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1212C81AXH	prox.12mm,dist.12mm,81mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1410C75AXH	prox.14mm,dist.10mm,75mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1414C80AXH	prox.14mm,dist.14mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1612C75AXH	prox.16mm,dist.12mm,75mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1616C80AXH	prox.16mm,dist.16mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1812C80AXH	prox.18mm,dist.12mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1812C140AXH	prox.18mm,dist.12mm,140mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1814C75AXH	prox.18mm,dist.14mm,75mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1814C140AXH	prox.18mm,dist.14mm,140mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1816C80AXH	prox.18mm,dist.16mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1816C140AXH	prox.18mm,dist.16mm,140mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1818C80AXH	prox.18mm,dist.18mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1818C140AXH	prox.18mm,dist.18mm,140mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1820C80AXH	prox.18mm,dist.20mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1822C80AXH	prox.18mm,dist.22mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW1824C80AXH	prox.18mm,dist.24mm,80mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW2016C74AXH	prox.20mm,dist.16mm,74mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW2020C79AXH	prox.20mm,dist.20mm,79mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW2218C74AXH	prox.22mm,dist.18mm,74mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
IXW2222C79AXH	prox.22mm,dist.22mm,79mm cov.length,Hydro	1	2 442,03	244,20	2 686,23	10%
Talent Aorto-Uni-Iliac(AUI) with the Xcelerant Hydro Delivery System						
AUB2214C155AXH	prox.22mm ,dist.14mm ,155mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUB2216C126AXH	prox.22mm ,dist.16mm ,126mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF2414C155AXH	prox.24mm ,dist.14mm ,155mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF2416C126AXH	prox.24mm ,dist.16mm ,126mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF2614C155AXH	prox.26mm ,dist.14mm ,155mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF2616C126AXH	prox.26mm ,dist.16mm ,126mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF2816C126AXH	prox.28mm ,dist.16mm,126mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF2816C170AXH	prox.28mm ,dist.16mm, 170mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF3016C125AXH	prox.30mm ,dist.16mm ,125mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF3016C170AXH	prox.30mm ,dist.16mm, 170mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF3216C125AXH	prox.32mm ,dist.16mm, 125mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF3216C170AXH	prox.32mm ,dist.16mm, 170mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF3416C125AXH	prox.34mm ,dist.16mm, 125mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF3416C170AXH	prox.34mm ,dist.16mm, 170mm cov.length,	1	4 580,55	458,06	5 038,61	10%
AUF3616C124AXH	prox.36mm ,dist.16mm, 124mm cov.length,	1	4 580,55	458,06	5 038,61	10%
SUKL KOD : 72464 Valiant Thoracic Stent Graft with the Captivia Delivery System						
VAMF2222C100TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 22F deliver	1	5 293,39	529,34	5 822,72	10%
VAMF2424C100TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 22F deliver	1	5 293,39	529,34	5 822,72	10%
VAMF2626C100TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 22F deliver	1	5 293,39	529,34	5 822,72	10%

VAMC3834C150TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 24F deliver	1	9 034,06	903,41	9 937,46	10%
VAMC4036C150TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 24F deliver	1	9 034,06	903,41	9 937,46	10%
VAMC4238C150TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 24F deliver	1	9 034,06	903,41	9 937,46	10%
VAMC4440C150TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 25F deliver	1	9 034,06	903,41	9 937,46	10%
VAMC4642C150TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 25F deliver	1	9 034,06	903,41	9 937,46	10%
VAMC2622C150TE	Polyester thoracic aortic stentgraft, MRI-compatible Nitinol, Captivia 22F deliver	1	9 034,06	903,41	9 937,46	10%
Katalógové číslo	TALENT STENTGRAFT - RELIANT BALLOON CATHETER (TAA)	Počet kusov v balení	Cena bez DPH/kus	DPH 20%	Cena s DPH/kus	Zľava
SUKL KOD : 72464						
AB46	Stentgraft ballooncatheter,8F shaft,12F sheath comp.compliant PU,100cm usable	1	290,80	58,16	348,95	0%
SUKL KOD : 82301	KATETER PRE CTO					
TAXP001	Subintimálny katéter pre IVUS	1	2 090,48	418,10	2 508,57	5%
PPLUS120	Subintimálny katéter pre IVUS	1	2 090,48	418,10	2 508,57	5%
Katalógové číslo	ASSURANT COBALT	Počet kusov v balení	Cena bez DPH/kus	DPH 10%	Cena s DPH/kus	Zľava
SUKL KOD : 60985						
ASC620S	iliac baloon expandible stent 6x20	1	1 043,01	104,30	1 147,31	5%
ASC720S	iliac baloon expandible stent 7x20	1	1 043,01	104,30	1 147,31	5%
ASC820S	iliac baloon expandible stent 8x20	1	1 043,01	104,30	1 147,31	5%
ASC630S	iliac baloon expandible stent 6x30	1	1 043,01	104,30	1 147,31	5%
ASC730S	iliac baloon expandible stent 7x30	1	1 043,01	104,30	1 147,31	5%
ASC830S	iliac baloon expandible stent 8x30	1	1 043,01	104,30	1 147,31	5%
ASC930S	iliac baloon expandible stent 9x30	1	1 043,01	104,30	1 147,31	5%
ASC1030S	iliac baloon expandible stent 10x30	1	1 043,01	104,30	1 147,31	5%
ASC640S	iliac baloon expandible stent 6x40	1	1 043,01	104,30	1 147,31	5%
ASC740S	iliac baloon expandible stent 7x40	1	1 043,01	104,30	1 147,31	5%
ASC840S	iliac baloon expandible stent 8x40	1	1 043,01	104,30	1 147,31	5%
ASC940S	iliac baloon expandible stent 9x40	1	1 043,01	104,30	1 147,31	5%
ASC1040S	iliac baloon expandible stent 10x40	1	1 043,01	104,30	1 147,31	5%
ASC660S	iliac baloon expandible stent 6x60	1	1 043,01	104,30	1 147,31	5%
ASC760S	iliac baloon expandible stent 7x60	1	1 043,01	104,30	1 147,31	5%
ASC860S	iliac baloon expandible stent 8x60	1	1 043,01	104,30	1 147,31	5%
ASC960S	iliac baloon expandible stent 9x60	1	1 043,01	104,30	1 147,31	5%
ASC1060S	iliac baloon expandible stent 10x60	1	1 043,01	104,30	1 147,31	5%
ASC620L	iliac baloon expandible stent 6x20	1	1 043,01	104,30	1 147,31	5%
ASC720L	iliac baloon expandible stent 7x20	1	1 043,01	104,30	1 147,31	5%
ASC820L	iliac baloon expandible stent 8x20	1	1 043,01	104,30	1 147,31	5%
ASC630L	iliac baloon expandible stent 6x30	1	1 043,01	104,30	1 147,31	5%
ASC730L	iliac baloon expandible stent 7x30	1	1 043,01	104,30	1 147,31	5%
ASC830L	iliac baloon expandible stent 8x30	1	1 043,01	104,30	1 147,31	5%
ASC930L	iliac baloon expandible stent 9x30	1	1 043,01	104,30	1 147,31	5%
ASC1030L	iliac baloon expandible stent 10x30	1	1 043,01	104,30	1 147,31	5%
Katalógové číslo	KOILY - HYDROSOFT 10	Počet kusov v balení	Cena bez DPH/kus	DPH 20%	Cena s DPH/kus	Zľava
SUKL KOD P 74989						
100201H2HS-V	priemer slučky /mm/ 2, dĺžka /cm/ 1	1	1 726,08	345,22	2 071,30	0%
100202H2HS-V	priemer slučky /mm/ 2, dĺžka /cm/ 2	1	1 726,08	345,22	2 071,30	0%
100203H2HS-V	priemer slučky /mm/ 2, dĺžka /cm/ 3	1	1 726,08	345,22	2 071,30	0%
100204H2HS-V	priemer slučky /mm/ 2, dĺžka /cm/ 4	1	1 726,08	345,22	2 071,30	0%
100206H2HS-V	priemer slučky /mm/ 2, dĺžka /cm/ 6	1	1 726,08	345,22	2 071,30	0%
100304H2HS-V	priemer slučky /mm/ 3, dĺžka /cm/ 4	1	1 726,08	345,22	2 071,30	0%
100306H2HS-V	priemer slučky /mm/ 3, dĺžka /cm/ 6	1	1 726,08	345,22	2 071,30	0%
100308H2HS-V	priemer slučky /mm/ 3, dĺžka /cm/ 8	1	1 726,08	345,22	2 071,30	0%
100404H2HS-V	priemer slučky /mm/ 4, dĺžka /cm/ 4	1	1 726,08	345,22	2 071,30	0%
100406H2HS-V	priemer slučky /mm/ 4, dĺžka /cm/ 6	1	1 726,08	345,22	2 071,30	0%
100408H2HS-V	priemer slučky /mm/ 4, dĺžka /cm/ 8	1	1 726,08	345,22	2 071,30	0%
100503H2HS-V	priemer slučky /mm/ 5, dĺžka /cm/ 6	1	1 726,08	345,22	2 071,30	0%
100508H2HS-V	priemer slučky /mm/ 5, dĺžka /cm/ 8	1	1 726,08	345,22	2 071,30	0%
100606H2HS-V	priemer slučky /mm/ 6, dĺžka /cm/ 6	1	1 726,08	345,22	2 071,30	0%
100608H2HS-V	priemer slučky /mm/ 6, dĺžka /cm/ 8	1	1 726,08	345,22	2 071,30	0%
	V-Grip - striekačka na odpútavanie koilov					
SUKL KOD P 74991						
H-VG501	V-Grip	5	400,00	80,00	480,00	0%

«TIMED» s.r.o.
Trnavská cesta 112
821 01 Bratislava

Ing. Jana Adamcová
konateľka spoločnosti

Ing. Pavel Farkaš
konateľ spoločnosti