





—→	Úniková cesta, označení východů z objektu
—>	Úniková cesta, označení směru
▲	Přenosný hasičský přístroj
▲	Přenosný hasičský přístroj CO ₂

Prošlano bezpečnostní charakteristika stavby - Grafická část	
VYPRACOVAL : Martin Lukl, B.TS-PO s.r.o. Kamenná 22, Přerov	
OBJEKT : PMS J.A.Reimann, Holého 14, Přerov - Doprava	
Obsah: 1. NP	
Měřítko: 1 : 200	
Název stavby:	
Doprava - AB	
Č. výkresu: 1.1	
Datum: 04/2011	



SPOLU: 146,606

Podlažný hospodárskosť charakteristická stavby - Grafická časť	
VÝKONOVÝ: Martin Lubiš, STS-PO s.r.o. Námestie 22, Prešov	
OBJEKT: MHF J.A. Reimann, Holého 14, Prešov - Doprava	
Obst. B. M.	
Mierka: 1:150	
Názov stavby:	
Doprava - M	
C. výkres: 1.2	
Dátum: 04/2011	

→	Ústková cesta, označenie východu z objektu
>	Ústková cesta, označenie smeru
1/4	Príslušný katalóg prístrojov
CS	Hydrant "C" 52

[illegible]

A schematic diagram of a closed system. It consists of a rectangular container divided into two main sections by a vertical wall. On the left side, there is a smaller rectangular region filled with horizontal lines, representing a shaded or filled volume. A vertical piston or separator is positioned between this shaded region and the rest of the container. An arrow points from the right towards the piston, indicating a force or pressure being applied. The entire system is enclosed within a rectangular boundary.

	Intentional costs, associated with an object
	Unintentional costs, associated with an object
	Prevention instead of primary prevention
	Prevention instead of primary C&I

Podluno-azupolastná charakteristika stavy - šifrovaný text
VERBA COVAL : Nardin Lukich, 875-PO s. r. n. Romanovs 22, Prešov
OBJEKT : Filip J. A. Reimann, Holtho 14, Prešov - Dogras
Obdobie : I. n. p. 1971
Miesto : 1 : 200
Hlavný stavby :
Gard-šev N. V.
C. výraz : 1.1
Datum : 04/2011

