

| Príloha č.1. Špecifikácia a ceny | | | | | |
|---|--------------------------------|-----------------|-----------------------|---------------------|------------------------------|
| Č.r. | Popis | Množstvo | Merná jednotka | Jedn. cena b | Ciastka spolu bez DPH |
| 1 | SYKFY 5x2x0,5 | 800 | bm | 0,29 | 228,87 |
| 2 | SYKFY 20x2x0,5 | 500 | bm | 1,02 | 508,80 |
| 3 | CYKY-J 3x 1,5 | 1000 | bm | 0,38 | 381,20 |
| 4 | CYKY-J 3x 2,5 | 1000 | bm | 0,62 | 621,20 |
| 5 | CYKY-J 3x 95+ 50 SM/SM | 50 | bm | 26,26 | 1312,85 |
| 6 | Páska izol.15mmx10m čierna | 100 | kus | 0,14 | 13,50 |
| 7 | PN 000 63A gG poistka | 50 | kus | 1,43 | 71,72 |
| 8 | PN 1/01 160A aM poistka | 50 | kus | 4,32 | 216,19 |
| 9 | PN 3 400A gG poistka | 50 | kus | 7,32 | 365,88 |
| 10 | Prach. 60W IP54 3111103 | 10 | kus | 10,22 | 102,22 |
| 11 | Prach. 100W IP65 5112601 | 10 | kus | 16,12 | 161,15 |
| 12 | Prach.2x 36W IP65 TCW060 HF!!! | 10 | kus | 21,12 | 211,23 |
| 13 | Prach.2x 58W IP65 TCW060 HF!!! | 30 | kus | 29,39 | 881,79 |
| 14 | Žiarovka 240V 40W E27 | 500 | kus | 0,23 | 114,70 |
| 15 | Žiarovka 240V 60W E27 TESLAMP | 500 | kus | 0,23 | 114,70 |
| 16 | Žiarovka 230V 1,2W E27 LED | 50 | kus | 6,64 | 331,93 |
| 17 | 1p 16,0B 6kA PL6 istič | 50 | kus | 1,93 | 96,32 |
| 18 | 3p 25,0B 6kA PL6 istič | 50 | kus | 7,40 | 370,14 |
| 19 | 3p 25,0B 10kA PL7 istič | 20 | kus | 11,33 | 226,58 |
| 20 | 1p 10,0B 10kA PL7 istič | 20 | kus | 3,18 | 63,67 |
| 21 | 1p 16,0C 10kA PL7 istič | 20 | kus | 3,30 | 65,92 |
| 22 | BI BH 630NE305 spínací blok | 3 | kus | 170,45 | 511,35 |
| 23 | BI BH 630NE406 spínací blok | 1 | kus | 898,31 | 898,31 |
| 24 | BI CS-BH-B021 pr.sada Blok.sv | 3 | sada | 66,94 | 200,82 |
| 25 | Panel napájací 19" | 3 | kus | 46,48 | 139,43 |
| 26 | Jednotka osvetl. 19",1U,magnet | 5 | kus | 79,07 | 395,35 |
| 27 | 3 L7 Z-FW-LP/MO motor. pohon | 1 | kus | 200,26 | 200,26 |
| 28 | Spúšť 3p 630A MICROLOGIC 5.3E | 1 | kus | 498,68 | 498,68 |
| 29 | Istič 3p 800A teleso NS800H | 1 | kus | 1388,51 | 1388,51 |
| 30 | COMP. 2 rýchle kontakty | 1 | kus | 64,45 | 64,45 |
| 31 | DILK50-10 230/50 styk. | 1 | kus | 103,23 | 103,23 |
| 32 | DILM32-XHI11 POM.KONT. | 1 | kus | 2,63 | 2,63 |
| Č.r. | Popis | Množstvo | Merná jednotka | 0,00 | 0,00 |
| 33 | CHRAN 4p 40/4/0,03-AC PF7 | 5 | kus | 41,71 | 208,53 |
| 34 | CHRAN 4p 63/4/0,03-AC PF7 | 5 | kus | 70,40 | 351,99 |
| 35 | CHRAN 4p 125/4/0,3-A-S PFDM | 5 | kus | 353,60 | 1768,01 |
| 36 | Istič 3p 80A komp. LZMC1-AI | 5 | kus | 70,08 | 350,41 |
| 37 | Istič 3p 400A komp. LZMN3-AI | 5 | kus | 408,60 | 2042,98 |
| 38 | Trubica 18W/830 G13 L18 | 50 | kus | 1,19 | 59,44 |
| 39 | Trubica 20W/33 G13 TL20 RS | 50 | kus | 2,00 | 100,10 |
| 40 | Trubica 25W/840 G5 HE25 | 40 | kus | 3,58 | 143,16 |
| 41 | Trubica 36W/840 G13 L36 | 50 | kus | 1,32 | 65,90 |
| 42 | Trubica 54W/840 G5 FQ54 T5 | 50 | kus | 2,02 | 100,79 |
| 43 | Trubica 58W/830 G13 TLD58 | 50 | kus | 1,98 | 99,17 |
| 44 | Trubica 80W/10 G5 TL80 | 50 | kus | 14,23 | 711,57 |
| 45 | 1zás.IP55 DO komplet si | 40 | kus | 3,77 | 150,83 |
| 46 | 1zás.IP55 16A DO béžová | 40 | kus | 3,31 | 132,53 |
| 47 | 2zás. 2x2P+T IP55 vodor. sivá | 40 | kus | 6,06 | 242,44 |
| 48 | Vyp.č.6 IP55 komplet sivý | 40 | kus | 4,01 | 160,52 |
| 49 | Vyp.č.6 IP55 sivý | 40 | kus | 2,56 | 102,32 |
| 50 | Vyp.č.5B IP55 sivý | 40 | kus | 4,45 | 177,81 |
| 51 | Vyp.č.5B IP55 komplet sivý | 40 | kus | 5,87 | 234,85 |
| 52 | CYKY-J 5x 6 | 400 | bm | 2,46 | 985,44 |
| 53 | Ne-J 3x 2,5 30 CHKE-V | 100 | bm | 1,50 | 150,12 |
| 54 | Lišta 40x20 LHD hran.2m bi HC | 600 | bm | 0,58 | 350,88 |
| 55 | Sada DDZ 8201K/I2 | 1 | kus | 137,06 | 137,06 |
| 56 | Súmrak.spín. 16A 2mod | 1 | kus | 64,68 | 64,68 |
| 57 | 3n 100,0C 20kA PLHT istič | 1 | kus | 92,37 | 92,37 |
| 58 | 2zás. polozap. hran. BI | 100 | kus | 2,72 | 271,64 |
| 59 | Vyp.č.1 biely | 160 | kus | 1,57 | 250,96 |
| 60 | Štartér 4-22W FS-2 !!! | 50 | kus | 0,20 | 9,84 |
| 61 | Štartér 4-65W ST111LONGLIFE | 100 | kus | 0,24 | 24,14 |
| 62 | BP-MF-1200/15 základný rám | 5 | kus | 154,51 | 772,54 |
| 63 | BPZ-DT-800/20-P dvere sklenené | 5 | kus | 152,33 | 761,63 |
| 64 | DILM1000-XSP/E(RA250) | 2 | kus | 511,64 | 1023,27 |
| 65 | 1p 16,0B 10kA PL7 istič | 100 | kus | 3,09 | 309,05 |

| | | | | | |
|-------------|--------------------------------|-----------------|-----------------------|-------------|-------------|
| 66 | 1p 10,0B 10kA PL7 istič | 100 | kus | 3,18 | 318,34 |
| 67 | CHRAN 2p 16/1N/0,03B-AC PFL7 | 5 | kus | 40,11 | 200,57 |
| 68 | Trubica 18W/830 G13 L18 | 50 | kus | 1,19 | 59,44 |
| 69 | Trubica 36W/840 G13 L36 | 50 | kus | 1,32 | 65,90 |
| 70 | 1zás. biela | 100 | kus | 1,89 | 189,45 |
| 71 | Viečko 82x 82x 9 6483-10 hran | 100 | kus | 0,17 | 17,41 |
| 72 | Strop.1x 36W IP40 PLAST M MB!! | 3 | kus | 17,97 | 53,92 |
| 73 | 3p 25,0B 10kA PL7 istič | 20 | kus | 11,33 | 226,58 |
| 74 | 3p 20,0B 10kA PL7 istič | 50 | kus | 10,35 | 517,42 |
| 75 | Lišta 25x20 LHD hran.2m biHC! | 100 | bm | 0,56 | 55,56 |
| 76 | Lišta 40x20 LHD hran.2m bi HC | 200 | bm | 0,58 | 116,96 |
| 77 | CYSY 3G 1,5 =H05VV-F bi kruh | 100 | bm | 0,39 | 39,25 |
| 78 | Žiarovka 240V 60W E27 TESLAMP | 750 | kus | 0,23 | 172,05 |
| 79 | Páska izol.15mmx10m červená | 50 | kus | 0,14 | 6,75 |
| 80 | Páska izol.15mmx10m biela | 50 | kus | 0,14 | 6,75 |
| 81 | Páska izol.15mmx10m tm.modrá | 50 | kus | 0,14 | 6,75 |
| Č.r. | Popis | Množstvo | Merná jednotka | 0,00 | 0,00 |
| 82 | Páska izol.15mmx10m čierna | 50 | kus | 0,14 | 6,75 |
| 83 | Žiarovka 240V 100W E27 TESLAM | 200 | kus | 0,24 | 48,04 |
| 84 | Vyp.č.5 biely | 5 | kus | 2,65 | 13,23 |
| 85 | Žiarovka 240V 40W E27 | 300 | kus | 0,23 | 68,82 |
| 86 | Žiarovka 240V 25W E27 TESLAMP | 150 | kus | 0,23 | 34,41 |
| 87 | Žiar.b.malá 240V 40W E14 | 100 | kus | 0,27 | 26,56 |
| 88 | Žiar.b.malá 240V 25W E14 | 200 | kus | 0,27 | 53,12 |
| 89 | Lin.žiar.1000W R7s PLUS PRO L | 5 | kus | 6,42 | 32,09 |
| 90 | Vložka poist.normál. 16A DII | 50 | kus | 0,21 | 10,26 |
| 91 | Vložka poist.normál. 10A DII | 30 | kus | 0,21 | 6,16 |
| 92 | Batéria AA 1,5V Super Alkaline | 50 | kus | 0,38 | 19,01 |
| 93 | Batéria AAA 1,5V SuperAlkaline | 50 | kus | 0,38 | 19,01 |
| 94 | Ne-J 5x 16 N2XH | 30 | bm | 7,08 | 212,27 |
| 95 | Ne-J 3x 2,5 N2XH | 100 | bm | 0,77 | 77,10 |
| 96 | Ne-J 3x 1,5 N2XH | 50 | bm | 0,55 | 27,34 |
| 97 | 2zás. natoč. biela | 20 | kus | 4,89 | 97,73 |
| 98 | Lišta 150x 50 MAK hran.3m bi | 30 | bm | 9,76 | 292,93 |
| 99 | Kr.vstav. 71x100x40 MAGD biela | 30 | kus | 1,21 | 36,35 |
| 100 | Batéria AAA 1,5V Greencell BL. | 20 | kus | 0,21 | 4,20 |
| 101 | Batéria AA 1,5V Greencell BL. | 20 | kus | 0,21 | 4,20 |
| 102 | Batéria AA 1,5V Ultra Plus Alk | 20 | kus | 0,57 | 11,37 |
| 103 | Cín 1,0mm bezolovnatý (100g) | 10 | kus | 5,57 | 55,67 |
| 104 | Kolofónia 16g | 10 | kus | 0,57 | 5,68 |
| 105 | CYH 2x0,75 BI /V03VH-H | 100 | bm | 0,19 | 19,28 |
| 106 | CYH 2x0,35 ČI/ČE /SMYp 50V | 100 | bm | 0,07 | 7,19 |
| 107 | Rám.1nás. biely | 100 | kus | 0,65 | 64,80 |
| 108 | Kryt Panduit Mini-Com biely | 100 | kus | 3,16 | 316,35 |
| 109 | Strop.1x 36W IP40 PLAST M MB!! | 200 | kus | 17,97 | 3594,36 |
| 110 | Strop.1x100W IP44 LUNA biela | 40 | kus | 4,48 | 179,36 |
| 111 | Plaf.1/2 1x60W IP20 Ufo bi | 40 | kus | 2,32 | 92,82 |
| 112 | Ťmivka 36W LSI LL | 40 | kus | 2,67 | 106,83 |
| 113 | Trubica 36W/840 G13 TRI-STAR | 100 | kus | 1,20 | 119,50 |
| 114 | Trubica 18W/840 G13 L18 | 50 | kus | 1,19 | 59,44 |
| 115 | Štartér 4-22W S2 | 10 | kus | 0,29 | 2,94 |
| 116 | Štartér 4-65W S10 | 20 | kus | 0,27 | 5,38 |
| 117 | CHRAN 2p 10/1N/0,03B-A PFI2 | 10 | kus | 25,56 | 255,63 |
| 118 | CHRAN 2p 16/1N/0,03B-A PFI2 | 10 | kus | 25,56 | 255,63 |
| 119 | CHRAN 2p 25/1N/0,03B-A PFI2 | 10 | kus | 26,34 | 263,35 |
| 120 | 1p 10,0B 10kA LTN istič | 20 | kus | 3,18 | 63,62 |
| 121 | 1p 16,0B 10kA LTN istič | 20 | kus | 3,00 | 60,03 |
| 122 | 1p 6,0B 10kA LTN istič | 20 | kus | 3,48 | 69,55 |
| 123 | NAD 12M Pln IP40 M.Prag. 1R Bi | 10 | kus | 10,87 | 108,66 |
| 124 | NAD 24M Pln IP40 ECT 2R Bi | 3 | kus | 11,27 | 33,80 |
| 125 | Vyp.č.1 komplet biely !!! | 100 | kus | 1,37 | 137,22 |
| 126 | Vyp.č.5 komplet biely !!! | 10 | kus | 2,06 | 20,62 |
| 127 | Vyp.č.6 komplet biely !!! | 10 | kus | 1,50 | 14,96 |
| 128 | 2zás. polozap. hran. BI | 100 | kus | 2,72 | 271,64 |
| 129 | Zás. poh. 16A 3p 230V IP54 ISN | 30 | kus | 4,14 | 124,28 |
| 130 | Žiarovka 240V 40W E27 | 300 | kus | 0,23 | 68,82 |
| Č.r. | Popis | Množstvo | Merná jednotka | 0,00 | 0,00 |
| 131 | Žiarovka 240V 60W E27 TESLAMP | 150 | kus | 0,23 | 34,41 |
| 132 | Žiar.b.malá 240V 25W E14 | 20 | kus | 0,27 | 5,31 |

| | | | | | |
|-------------|--------------------------------|-----------------|-----------------------|-------------|-------------|
| 133 | Dich.ž.230V 3,0W GU10 WW LED! | 10 | kus | 2,41 | 24,10 |
| 134 | CY 1,5 H07V-U čierny | 50 | bm | 0,13 | 6,56 |
| 135 | CY 1,5 H07V-U zeleno-žltý | 50 | bm | 0,13 | 6,56 |
| 136 | CY 6 H07V-U zeleno-žltý | 20 | bm | 0,50 | 10,03 |
| 137 | CYKY-J 3x 1,5 | 100 | bm | 0,38 | 38,12 |
| 138 | CYKY-J 3x 2,5 | 100 | bm | 0,62 | 62,12 |
| 139 | CYKY-J 3x 6 | 20 | bm | 1,57 | 31,40 |
| 140 | CYKY-J 5x 4 | 30 | bm | 1,68 | 50,26 |
| 141 | CYKY-J 5x 6 | 20 | bm | 2,46 | 49,27 |
| 142 | CYKY-J 4x 1,5 | 30 | bm | 0,54 | 16,29 |
| 143 | Zás.rozboč. 3xokr.vidl. BI | 10 | kus | 1,18 | 11,81 |
| 144 | Lišta 25x20 LHD hran.2m biHC! | 20 | bm | 0,56 | 11,11 |
| 145 | Kr.liš. 82x 82x 16 6480-10hran | 10 | kus | 0,29 | 2,91 |
| 146 | Kr.univ. 75x 42 KU68/2-1902vi | 10 | kus | 0,20 | 1,97 |
| 147 | Armat. rovní plast.porc.obj.bi | 20 | kus | 2,59 | 51,87 |
| 148 | Hro.ZD 01 doska uzemň.+sv.SR03 | 4 | kus | 15,97 | 63,86 |
| 149 | Hro.ZT 2,0m fi 25, tyč uz.plná | 6 | kus | 12,58 | 75,47 |
| 150 | Hro.štítok č.1 označovací KOV | 10 | kus | 0,40 | 3,99 |
| 151 | Hro.drôt FeZn 8 1bm=0,395kg | 12 | kg | 1,04 | 12,48 |
| 152 | Hro.drôt FeZn 10 1bm=0,625kg | 19 | kg | 1,04 | 19,75 |
| 153 | Hro.SS svorka bez pr.2skr | 15 | kus | 0,26 | 3,93 |
| 154 | Súmraak.spín. 16A 230V | 30 | kus | 36,78 | 1103,26 |
| 155 | Zvod C 1p SVC-N350-1-M vym.m. | 3 | kus | 32,94 | 98,83 |
| 156 | Zvod B 1p SJB-25E-1-M vym.m. | 3 | kus | 103,27 | 309,81 |
| 157 | Páska izol.15mmx10m čierna | 30 | kus | 0,14 | 4,05 |
| 158 | 3p 16,0B 10kA PR60 istič | 10 | kus | 9,07 | 90,66 |
| 159 | 3p 25,0B 10kA PR60 istič | 10 | kus | 9,20 | 92,00 |
| 160 | Dat.kom.ZAS Modulo45 6a 2xRJ45 | 100 | kus | 9,64 | 964,14 |
| 161 | Dat.k. 6a T STP drôt LSOH | 1000 | bm | 0,37 | 366,20 |
| 162 | Dat.kom.KON RJ45 5e T univer. | 400 | kus | 0,69 | 277,44 |
| 163 | Vidlica 32A 4p 400V IP44 IVN | 6 | kus | 2,26 | 13,53 |
| 164 | Vidlica 32A 5p 400V IP44 IVN | 6 | kus | 2,57 | 15,43 |
| 165 | Vidlica 16A 4p 400V IP44 IVN | 6 | kus | 1,73 | 10,37 |
| 166 | Vidlica 16A 5p 400V IP44 IVN | 6 | kus | 2,13 | 12,75 |
| 167 | Zás. poh. 32A 4p 400V IP44 ISN | 6 | kus | 2,97 | 17,79 |
| 168 | Zás. poh. 32A 5p 400V IP44 ISN | 6 | kus | 3,35 | 20,10 |
| 169 | Zás. poh. 16A 4p 400V IP44 ISN | 6 | kus | 2,31 | 13,84 |
| 170 | Zás. poh. 16A 5p 400V IP44 ISN | 6 | kus | 2,94 | 17,66 |
| 171 | Ne-J 5x 10 30 NHXH | 500 | bm | 6,66 | 3329,00 |
| 172 | CYKY-J 4x 10 RE | 500 | bm | 3,19 | 1596,70 |
| 173 | AYKY-J 4x 16 RE drôt | 500 | bm | 0,99 | 494,60 |
| 174 | Predlž.4zás. 3m+vyp. biela | 50 | kus | 3,53 | 176,74 |
| 175 | Predlž.6zás. 5m+vyp biela | 50 | kus | 5,22 | 260,82 |
| 176 | Predlž.5zás. 7m+vyp. biela | 50 | kus | 6,40 | 319,86 |
| 177 | Zás.rozboč. 3xokr.vidl. BI | 10 | kus | 1,53 | 15,25 |
| 178 | Rám.2nás. vodor. biely | 5 | kus | 1,23 | 6,14 |
| 179 | Rám.1nás. biely | 20 | kus | 0,65 | 12,96 |
| Č.r. | Popis | Množstvo | Merná jednotka | 0,00 | 0,00 |
| 180 | Rám.2nás. vodor. biely | 20 | kus | 1,23 | 24,55 |
| 181 | 1zás. pr.ochr. biela | 20 | kus | 28,88 | 577,66 |
| 182 | Kryt č.5 biely | 20 | kus | 1,37 | 27,44 |
| 183 | Kryt č.1 biely | 50 | kus | 1,08 | 54,13 |
| 184 | Vyp.č.1,1So bezskrut. | 20 | kus | 2,81 | 56,10 |
| 185 | Vyp.č.2,2S bezskrut. | 20 | kus | 3,64 | 72,73 |
| 186 | Vyp.č.5 bezskrut. | 20 | kus | 3,84 | 76,76 |
| 187 | Vyp.č.6/0+6 | 20 | kus | 5,98 | 119,59 |
| 188 | Vyp.č.7,7So bezskrut. | 20 | kus | 4,38 | 87,51 |
| 189 | Lišta 60x19,5 LE Eleg.2m bi | 50 | bm | 1,29 | 64,48 |
| 190 | Kryt LE 60 roh vnút. bi | 25 | kus | 0,90 | 22,47 |
| 191 | Kryt LE 60 roh vonk. bi | 25 | kus | 0,90 | 22,47 |
| 192 | Kryt LE 60 ohybový bi | 10 | kus | 0,90 | 8,99 |
| 193 | Kryt LE 60 odbočný bi | 10 | kus | 0,90 | 8,99 |
| 194 | Kryt LE 60 koncový bi | 10 | kus | 0,60 | 6,03 |
| 195 | Kryt LE 60 spojovací bi | 20 | kus | 0,60 | 12,05 |
| 196 | Prístroj.nosič PNE 60x20 | 50 | kus | 1,25 | 62,64 |
| 197 | Prístroj.nosič PNE 60x20 2Z | 25 | kus | 1,25 | 31,32 |
| 198 | Dat.kom.KON RJ45 6 T univer. | 500 | kus | 0,31 | 154,75 |
| 199 | Minilišta s krytom 25x40 biela | 300 | bm | 11,16 | 3347,63 |
| 200 | Lišta 105x65 DLP bez kr.2m bi | 500 | bm | 7,08 | 3538,15 |

| | | | | | |
|-------------|--------------------------------|-----------------|-----------------------|-------------|-------------|
| 201 | Kryt 85xX DLP BI ohybný | 500 | bm | 2,52 | 1262,30 |
| 202 | Záslepka DLP 105x65 | 50 | kus | 1,11 | 55,33 |
| 203 | Odbočka roh. DLP 80,105/50 | 50 | kus | 12,33 | 616,33 |
| 204 | Uhol vnút.variabil. DLP H65 | 50 | kus | 4,62 | 230,78 |
| 205 | T-odbočka 106x65 | 50 | kus | 6,47 | 323,36 |
| 206 | Dat.k. 6a T STP drôt LSOH | 1000 | bm | 0,37 | 366,20 |
| 207 | Dat.k.P.mt 5e N 1,0m PVC Siv | 1000 | kus | 0,41 | 409,40 |
| 208 | Dat.kom.KON RJ45 ... T FM45 | 1000 | kus | 6,73 | 6730,90 |
| 209 | Strop.1x 36W IP40 PLAST M MB!! | 50 | kus | 16,85 | 842,43 |
| 210 | Strop.1x100W IP44 LUNA biela | 20 | kus | 4,48 | 89,68 |
| 211 | Plaf.1/2 1x60W IP20 Ufo bi | 10 | kus | 2,32 | 23,21 |
| 212 | Tlmivka 40W AC1 4/23! | 5 | kus | 2,53 | 12,67 |
| 213 | Trubica 36W/840 G13 EE T8 | 20 | kus | 1,40 | 28,05 |
| 214 | Trubica 18W/840 G13 EE T8 | 50 | kus | 1,50 | 75,00 |
| 215 | Tru.LED1,2m G13 18W/_45 !!! | 100 | kus | 12,88 | 1287,50 |
| 216 | Strop.1x 36W IP40 PLAST M MB!! | 60 | kus | 19,26 | 1155,33 |
| 217 | Štartér 4-22W FS-22 | 300 | kus | 0,21 | 63,12 |
| 218 | Štartér 4-65W FS-11 | 100 | kus | 0,20 | 19,64 |
| 219 | CHRAN 2p 10/1N/0,03B-A PFI2 | 10 | kus | 25,56 | 255,63 |
| 220 | CHRAN 2p 16/1N/0,03B-A PFI2 | 10 | kus | 25,56 | 255,63 |
| 221 | CHRAN 2p 25/1N/0,03B-A PFI2 | 10 | kus | 26,34 | 263,35 |
| 222 | 1p 1,0C 10kA LTN istič | 20 | kus | 7,23 | 144,65 |
| 223 | 1p 10,0B 10kA LTN istič | 20 | kus | 3,18 | 63,62 |
| 224 | 1p 16,0B 10kA LTN istič | 20 | kus | 3,00 | 60,03 |
| 225 | 1p 6,0B 10kA LTN istič | 20 | kus | 3,48 | 69,55 |
| 226 | NAD 12M Pln IP40 M.Prag. 1R Bi | 10 | kus | 10,87 | 108,66 |
| 227 | NAD 24M Pln IP40 M.Prag. 2R Bi | 3 | kus | 19,02 | 57,05 |
| 228 | 2zás. polozap. hran. BI | 100 | kus | 2,72 | 271,64 |
| Č.r. | Popis | Množstvo | Merná jednotka | 0,00 | 0,00 |
| 229 | Zás.spoj. 16A 250V biela | 30 | kus | 0,83 | 24,87 |
| 230 | VID. 16A/250V priamy v. BI | 30 | kus | 0,83 | 24,87 |
| 231 | Žiarovka 240V 40W E27 | 300 | kus | 0,23 | 68,82 |
| 232 | Žiarovka 240V 60W E27 TESLAMP | 150 | kus | 0,23 | 34,41 |
| 233 | Žiar.b.malá 240V 25W E14 | 20 | kus | 0,27 | 5,31 |
| 234 | Dich.ž.230V 3,0W GU10 WW LED! | 10 | kus | 2,41 | 24,10 |
| 235 | CY 1,5 H07V-U čierny | 50 | bm | 0,13 | 6,56 |
| 236 | CY 1,5 H07V-U zeleno-žltý | 50 | bm | 0,13 | 6,56 |
| 237 | CY 6 H07V-U zeleno-žltý | 20 | bm | 0,50 | 10,03 |
| 238 | CYKY-J 3x 1,5 | 100 | bm | 0,38 | 38,12 |
| 239 | CYKY-J 3x 2,5 | 100 | bm | 0,62 | 62,12 |
| 240 | CYKY-J 3x 6 | 20 | bm | 1,57 | 31,40 |
| 241 | CYKY-J 5x 4 | 30 | bm | 1,68 | 50,26 |
| 242 | CYKY-J 5x 6 | 20 | bm | 2,46 | 49,27 |
| 243 | CYKY-J 4x 1,5 | 30 | bm | 0,54 | 16,29 |
| 244 | Zás.rozboč. 2xokr.1xpl.vidl.BI | 10 | kus | 0,90 | 9,03 |
| 245 | Lišta 20x20 LHD hran.2m bi HC | 20 | bm | 0,38 | 7,60 |
| 246 | Lišta 24x22 LV hran.2m biela | 20 | bm | 0,45 | 9,04 |
| 247 | Kr.liš. 82x 82x 16 6480-10hran | 10 | kus | 0,29 | 2,91 |
| 248 | Kr.univ. 70x 45 KP67/1-ASD70 | 10 | kus | 0,12 | 1,15 |
| 249 | Viečko 136x136 KO125V preKO125 | 20 | kus | 0,36 | 7,17 |
| 250 | Viečko fi 83 V68 2otvory | 10 | kus | 0,13 | 1,27 |
| 251 | Viečko fi113 KO97V preKO97 skr | 10 | kus | 0,29 | 2,94 |
| 252 | Armat. rovná keram. bi | 20 | kus | 5,00 | 100,00 |
| 253 | Hro.ZD 01 doska uzemň.+páska | 4 | kus | 29,93 | 119,72 |
| 254 | Hro.ZT 2,0m fi 25, tyč uz.plná | 6 | kus | 12,58 | 75,47 |
| 255 | Hro.štítok č.1 označovaci KOV | 10 | kus | 0,40 | 3,99 |
| 256 | Hro.drôt FeZn 8 1bm=0,395kg | 12 | kg | 1,04 | 12,48 |
| 257 | Hro.drôt FeZn 10 1bm=0,625kg | 19 | kg | 1,04 | 19,75 |
| 258 | Hro.SS svorka bez pr.2skr | 15 | kus | 0,26 | 3,93 |
| 259 | Súmrak.spín. 16A 230V | 2 | kus | 36,78 | 73,55 |
| 260 | Prach.2x 36W IP65 TORN.PC2 EB! | 5 | kus | 18,50 | 92,52 |
| 261 | PN 000 80A gG poisťka | 6 | kus | 1,44 | 8,61 |
| 262 | PN 1 200A gG poisťka | 3 | kus | 3,85 | 11,54 |
| 263 | Zvod C 1p SVC-N350-1-M vym.m. | 3 | kus | 32,94 | 98,83 |
| 264 | Zvod B 1p SJB-25E-1-M vym.m. | 3 | kus | 103,27 | 309,81 |
| 265 | Páska izol.15mmx10m čierna | 30 | kus | 0,14 | 4,05 |
| 266 | 3p 16,0B 10kA PR60 istič | 10 | kus | 9,07 | 90,66 |
| 267 | 3p 25,0B 10kA PR60 istič | 10 | kus | 9,20 | 92,00 |
| 268 | Podhl.LED 0,6x0,6 40W 4000lm | 10 | kus | 37,00 | 370,00 |

| | | | | | |
|-----|--------------------------------|-----|-----|-------------------|-----------------|
| 269 | Strop.1x 30W IP65 AldebaranLED | 10 | kus | 18,00 | 180,00 |
| 270 | Núdz 8W1h IP42 Zorka | 10 | kus | 17,28 | 172,80 |
| 271 | Viac.zás. DLP biela 2M | 10 | kus | 3,79 | 37,87 |
| 272 | Viac.zás. UNI 45° biela 4M | 10 | kus | 5,89 | 58,91 |
| 273 | Zás.dát.1xRJ45 kat.6a STP 1M | 10 | kus | 7,77 | 77,70 |
| 274 | Zás.dát.1xRJ45 kat.6a STP 1M | 10 | kus | 7,77 | 77,70 |
| 275 | Lišta 80x50 DLP bez kr.2m bi | 100 | bm | 4,92 | 492,01 |
| 276 | Kryt 85xX DLP BI ohybný | 100 | bm | 2,52 | 252,46 |
| | | | | Celkom EUR | 69883,46 |
| | | | | Celkom EUR | 83860,15 |